

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------------------------------|---|------------------|---------|------------------|
| L2 | 91 | procedures with (risk assessment) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/06/08 06:58 |
| S1 | 3022 | 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 07:43 |
| S2 | 6 | ("04753" "26161" "12321").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 07:46 |
| S3 | 6 | ("5960087" "5502815" "6108583").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 07:55 |
| S4 | 3 | "23703".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 07:55 |
| S5 | 30 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 08:05 |
| S6 | 9 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 08:06 |
| S7 | 9 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 08:07 |
| S8 | 3 | | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 08:35 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S9 | 37 | ("risk assessment" with ("intermediate device" or proxy or server)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 08:37 |
| S10 | 13 | ((("risk assessment" with ("intermediate device" or proxy or server))) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 14:58 |
| S11 | 3 | ((("risk assessment" with ("intermediate device" or proxy or server))) and @ad < "20010702") and ((proxy or server or "intermediate device") near4 between) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 09:12 |
| S12 | 3022 | 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 09:55 |
| S13 | 1735 | 713/201.ccls. and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 13:43 |
| S14 | 0 | (713/201.ccls. and @ad < "20010702") and ("risk assessment" with (proxy or "internet server" or "network server" or "intermediate server" or router)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 10:00 |
| S15 | 0 | (713/201.ccls. and @ad < "20010702") and ("risk assessment" same (proxy or "internet server" or "network server" or "intermediate server" or router)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 10:00 |
| S16 | 8 | (713/201.ccls. and @ad < "20010702") and ("risk assessment" and (proxy or "internet server" or "network server" or "intermediate server" or router)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 10:00 |
| S17 | 2 | ((713/201.ccls. and @ad < "20010702") and ("risk assessment" and (proxy or "internet server" or "network server" or "intermediate server" or router))) and (remote with target) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 10:01 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S18 | 93 | ((determin\$4 or check\$4) with ("intermediate device")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 13:43 |
| S19 | 63 | ((determin\$4 or check\$4) with ("intermediate device")) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:17 |
| S20 | 1 | ((determin\$4 or check\$4) with ("intermediate device")) and @ad < "20010702" and 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 13:56 |
| S21 | 1 | ((determin\$4 or check\$4) with ("intermediate device")) and @ad < "20010702" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 13:55 |
| S22 | 4 | "risk assessment" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 13:55 |
| S23 | 2 | ("risk assessment" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax))) and 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 13:56 |
| S24 | 2 | ("risk assessment" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax))) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:30 |
| S25 | 39152 | ((proxy or router or ((internet or network or intermediate) adj (server or computer or device)) and "risk assessment")) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:18 |
| S26 | 0 | ((proxy or router or ((internet or network or intermediate) adj (server or computer or device)) near4 (check\$3 or determining or assess\$3)) with presense) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:23 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S27 | 702 | (((((proxy or router or ((internet or network or intermediate) adj (server or computer or device)) and "risk assessment"))) and @ad < "20010702") and (proxy or router or ((internet or network or intermediate) adj (server or computer or device)) near4 (check\$3 or determining or assess\$3))) and 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:38 |
| S28 | 6437 | (check\$3 or determining or assess\$3) with (proxy or router or ((internet or network or intermediate) adj (server or computer or device))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:29 |
| S29 | 3658 | ((check\$3 or determining or assess\$3) with (proxy or router or ((internet or network or intermediate) adj (server or computer or device)))) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/01 14:32 |
| S30 | 136 | ((((check\$3 or determining or assess\$3) with (proxy or router or ((internet or network or intermediate) adj (server or computer or device)))) and @ad < "20010702") and 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 14:56 |
| S31 | 928 | ((check\$3 or determin\$3) adj4 (computer or "work stateion" or server or host)) with involv\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 14:58 |
| S32 | 618 | ((((check\$3 or determin\$3) adj4 (computer or "work stateion" or server or host)) with involv\$4) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 16:06 |
| S33 | 6 | (((((check\$3 or determin\$3) adj4 (computer or "work stateion" or server or host)) with involv\$4) and @ad < "20010702") and 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 16:04 |
| S34 | 0 | "time to live" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 16:05 |
| S35 | 96 | ttl with flag | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 16:05 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S36 | 25 | (ttl with flag) and (tcp with flag) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 16:06 |
| S37 | 6 | ((ttl with flag) and (tcp with flag)) and @ad < "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/11/02 16:06 |
| S38 | 3223 | 713/201.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/07 10:24 |
| S39 | 1794 | 713/201.ccls. and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/07 10:25 |
| S40 | 0 | (detect\$3 or determin\$3 or check\$4 or identif\$4) same ((intermediate adj (device or client or server or machine or computer)) or router or proxy or (network adj (server or device or client or computer))) same "risk assessment" and 713/201.ccls. and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/07 10:36 |
| S41 | 5 | (detect\$3 or determin\$3 or check\$4 or identif\$4) same ((intermediate adj (device or client or server or machine or computer)) or router or proxy or (network adj (server or device or client or computer))) and "risk assessment" and 713/201.ccls. and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/07 10:37 |
| S42 | 7 | remote with "risk assessment" and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 15:25 |
| S43 | 0 | (determin\$3 same "risk assessment" same (includ\$3 or involv\$3) same (proxy or router or gateway or "intermediate device"))and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 15:28 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S46 | 1 | ((determin\$3 same ("computer security" or "risk assessment") same (includ\$3 or involv\$3) same (proxy or router or gateway or "intermediate device"))) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 17:31 |
| S47 | 6 | ((("computer security" or "risk assessment") same (includ\$3 or involv\$3) same (proxy or router or gateway or "intermediate device"))) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 15:35 |
| S48 | 4238 | ((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3) same (includ\$3 or involv\$3) same (proxy or router or gateway or "intermediate device"))) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 15:42 |
| S49 | 277 | ((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gateway or "intermediate device"))) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 16:18 |
| S50 | 0 | ((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gateway or "intermediate device"))) same "risk assessment" and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 15:45 |
| S51 | 0 | ((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gateway or "intermediate device"))) same vulnerabilit\$3 and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 16:19 |
| S52 | 3 | ((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gateway or "intermediate device"))) and vulnerabilit\$3 and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 16:39 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S53 | 0 | ((modif\$7 or chang\$3 or modification or alter\$3) near3 by near3 (proxy or router or gateway or "intermediate device")) and vulnerabilit\$3 and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 16:43 |
| S54 | 0 | ((modif\$7 or chang\$3 or modification or alter\$3) near3 by near3 (proxy or router or gateway or "intermediate device")) and ("risk assessment" or vulnerabilit\$3) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 16:53 |
| S55 | 0 | ("risk assessment" same (data near modification)) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 16:54 |
| S56 | 21 | ("risk assessment" same (modification)) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 17:12 |
| S57 | 2 | "6298445".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 17:17 |
| S58 | 342 | detect\$ near2 firewall | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 17:17 |
| S59 | 12 | (determin\$3 or detect\$3 or identif\$3) same presence same (proxy or router or device or "intermediate device" or pda or "client server" or "work station" or "lap top" or computer) same vulnerabilit\$3 and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/10 17:35 |
| S60 | 2 | "6681213".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/13 15:31 |
| S61 | 7 | ("4555805" "5272754" "5517568" "5586185" "5815571" "5905859").PN. OR ("6681213").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/01/13 15:38 |
| S62 | 0 | ("6754823").URPN. | USPAT | OR | ON | 2005/01/13 16:18 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S63 | 1 | "6795846".pn. | USPAT | OR | ON | 2005/01/13 16:23 |
| S64 | 1 | "6681213".pn. | USPAT | OR | ON | 2005/01/13 16:23 |
| S65 | 0 | flag same value same detect\$ same presence same network same (new\$3 adj3 (node or router or proxy or server or device or computer)) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 08:21 |
| S66 | 0 | flag same detect\$ same presence same network same (new\$3 adj3 (node or router or proxy or server or device or computer)) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 08:22 |
| S67 | 0 | flag same detect\$3 same presence same network same (new\$3 adj3 (node or router or proxy or server or device or computer)) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 08:22 |
| S68 | 0 | flag same detect\$3 same presence same network same (node or router or proxy or server or device or computer) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 08:22 |
| S69 | 21 | detect\$3 same presence same network same (node or router or proxy or server or device or computer) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 08:26 |
| S70 | 81 | detect\$3 same network same (node or router or proxy or server or device or computer) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 08:26 |
| S71 | 9 | detect\$3 same new\$3 same network same (node or router or proxy or server or device or computer) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 11:00 |
| S72 | 1 | (compar\$3 or match\$3) with cach\$3 with content and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 11:40 |
| S73 | 0 | cach adj server and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 11:41 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S74 | 2 | cach\$3 adj server and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 11:42 |
| S75 | 5 | cach\$3 adj (computer or node or server or device) and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 12:09 |
| S77 | 4 | compar\$3 with cach\$3 and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 13:02 |
| S78 | 14 | (compar\$3 or match\$3 or transmit\$3 or retriev\$3 or send\$3 or receiv\$3) near3 cach\$3 and "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:05 |
| S80 | 12069 | (out or non) with header and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:09 |
| S81 | 1205 | (out or non) near header and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:09 |
| S82 | 4099 | (out or non) near3 header and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:10 |
| S83 | 1205 | (out or non) near header and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:10 |
| S84 | 0 | (out or non) near header with "error message" and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:11 |
| S85 | 130 | (out or non or out) near2 header with value and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:52 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S86 | 0 | header near2 "not" near2 specif\$3 and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:53 |
| S87 | 0 | header near2 "not" near2 specif\$3 and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:53 |
| S88 | 0 | header near2 ("not" or un) near2 (specif\$3 or defin\$3) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 14:55 |
| S89 | 20 | header near2 ("not" or un or without or "non" or null) near2 (specif\$3 or defin\$3) and @ad <= "20010702" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:18 |
| S90 | 2 | "6681213".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:18 |
| S91 | 63 | "5563946" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:25 |
| S92 | 2 | "5563946".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:26 |
| S93 | 2 | "5623637".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:27 |
| S94 | 2 | "5502766".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:25 |